


Review

- What are mappings, natural mappings? Types?
- What are constraints? How do they differ from affordances? Types?
- How are conceptual models of designer, system and user related to each other?



Conceptual Models



The Seven Stages of Action




The Seven Stages of Action

- What makes things hard to use?
- To answer this, ask: what happens when someone uses an object?
- We need a **model** for this activity
- The **Seven Stages of Action** are such a model



First Approach

- To do something, you have to
 - 1. Formulate a **goal**
(what do you want to do?)
 - 2. **Execute** an action
(changing the environment)
 - 3. **Evaluate** the result
(is the outcome the same as my goal?)




Goal Formulation in Detail

- **Goals** are often very vague, and problem-oriented
 - “I need more light”
- They need to be translated into goal-oriented **intentions**
 - “Operate the light switch”
- These then need to be translated into concrete **action sequences**
 - “Turn around, stretch out arm, put finger on switch”



Goal Formulation




- Alternative **intentions** and **action sequences** are possible for the same **goal**
 - “Could you turn on the light please, dear?” :-)




Evaluation

- Evaluation also requires several steps:
 - Perceive the result
 - Interpret it
 - Compare to goal



Result: The Seven Stages of Action



More on the Seven Stages

- In reality, steps are hard to distinguish
- Complex tasks include **sequences/hierarchies of goals** (feedback loop)
- Goals are forgotten, discarded, changed
- Many actions are opportunistic, not planned
 - Meeting leads to talk, deadline-driven work
- Cycle can begin at any stage!



Gulf of Execution



- Even simple actions can seem difficult
- Reason: Cannot see how system works or what to do
 - Example: Peanut bags...
- Connection between intention and execution unclear
- What is the problem? — **Mappings!**




Gulf of Execution

- Gulf of Execution opens up through differences between
 - Actions the user **intends**, and
 - Actions the system **offers** — affordances!
- Ideally, the system lets user execute intended actions directly, without any extra effort



Example: Film Projector Threading

- Old projectors: unclear, difficult
- New projectors: automatic, but still visible
- VCR: invisible






Gulf of Evaluation

- It is often unclear whether an action was successful or what its effect was
- Problem: **Missing feedback**
- Ideal: System state is easy to perceive and interpret and matches conceptual model that the user has of the system
- Example: Blinking printer LED
 - Still working, or crashed?
- Example: Switches in Myst
 - Part of the fun of the game





The Gulfs




Seven Stages of Action as Design Guideline

- The model provides basic checklist of questions to avoid gulfs:
“How easy is it to...”
 - Perceive system functions? (Goal)
 - Determine executable actions? (Intentions)
 - Determine their mapping to basic actions? (Action sequence)
 - Perceive the system state? (Perception)
 - Map it to an interpretation? (Interpretation)
 - To decide if the goal was reached? (Comparison)



Result: Some Design Principles

- **Visibility** (state and actions easy to determine)
- **Good conceptual model**
 - Operations and results are presented consistently
 - User gets a coherent image of the system
- **Good (natural) mappings**
 - Between actions and results
 - Controls and their effects
 - System state and its visualization
- **Good feedback**
 - About results, complete and continuous



In-Class Exercise

- Sketch the seven stages of action to listen to a particular piece of music from a CD on your home stereo (or MP3 player, or...)
- What are goals, intentions, action sequences? Alternatives?
- What is perceived, interpreted, compared to the goal?
- Where are potential usability breakdowns (gulfs of execution or evaluation)? Own experience?



Knowledge in the World and in the Head

- Experiment: write down digit layout of telephone and calculator keyboards



iTunes V: exclude



Knowledge in the World and in the Head

- Much knowledge is not in the head but in the world
- Despite less-than-perfect knowledge, precise behavior is possible—how?
- Behavior is determined by combination of knowledge in the world and in the head
- High precision of knowledge in the head is unnecessary
 - We only need knowledge to be precise enough to distinguish the right behavior from the others possible
 - Example: What is on the front and the back of the German 1 cent coin?



More Reasons Why This Works

- Constraints are in effect
 - Physical constraints limit the actions possible, e.g., what can be moved / combined / manipulated? (and if so, how?)
 - Cultural constraints are in effect

Social rules are learned once and are then applicable in many situations

Example: What to do upon entering a restaurant

But: Cultural differences!



Knowledge in the Head & Constraints

- Traveling poets were able to recite poems with thousands of lines
 - Rhyme works as “linguistic constraint”, and story works as semantic constraint
- Constraints limit the amount of knowledge that needs to be rote-learned



Results

- Humans can minimize the amount/precision/depth of information to remember
 - This can even help people cover missing abilities (analphabetism) or mental disabilities





Example: Typing

- Exercise: What kind of knowledge do beginners/intermediate/expert typists use?
- Beginner: Knowledge in the world (keyboard labeling)
- Intermediate: Knowledge in the world (peripheral vision, feeling keys) and in the head (knowing location of important keys by heart)
- Expert: All knowledge in the head, no eye contact to keyboard necessary anymore (cost/benefit tradeoff)





Example: City Map

- Exercise: Try to write down exactly how to get from this building to the “Hauptbahnhof”
- Result:
 - Nobody has a perfect street/building map in their head; often entire parts are forgotten in route descriptions
 - Nevertheless we can get from A to B safely
 - Why? Signage and constraints (e.g., street numbers) supply external knowledge



Types of Knowledge


- **Declarative knowledge** (“what”)
 - Facts (Bonn is southeast of Aachen)
 - Rules (stop at red traffic lights)
 - Easy to write down and teach (not learn!)
- **Procedural knowledge** (“how”)
 - How to play an instrument
 - Hard to write down, subconscious
 - Hard to teach, best by demo/training
- Design can easily convey declarative knowledge



How Much Can We Remember?

- Random unconnected facts: little
 - “Press Ctrl-Alt-Delete to log on”
 - Not learnable per se, only via associations
 - Example: First 1,000 digits of Pi
 - If your recipe fails, you are lost
- Connected facts: more
 - Using associations
 - Example: motor bike directional indicator
- Explained/understood facts: very much
 - Model emerges in the head
 - Can be reconstructed if needed
 - Very valuable in new situations where recipe fails





The Daily Struggle

- Exercise:
 - How many online accounts with passwords do you have?
 - How many of these can you remember the passwords to?
 - For how many of them do you use the same password?
- Credit cards, bank accounts with bank codes, number plates, phone numbers/addresses/birthdays/age of friends, clothing sizes,...
- We tend to move these things from the head into the world



Knowledge in the World: Characteristics

- Nothing to remember
- But: only there while you see it
- Especially difficult with things that are not immensely important to you
- Solution: Reminders
 - Paper agenda vs. PDA
 - Signal vs. message



Comparing Knowledge in the Head and in the World

- In the world:
 - Available as soon as visible
 - No learning needed
 - Low efficiency (interpreting needed)
 - High initial usability
 - Aesthetics difficult with much to display
- In the head:
 - Less available
 - Less suitable for beginners
 - Harder to learn
 - But efficient
 - Invisible (less labels)
- Remember: Natural mappings can save both learning and labeling



Visibility and Feedback

- Computer on/off switches on the rear are invisible
- VCRs without on-screen programming required lengthy programming instructions without much visible feedback
- There is nothing like a good display to improve visibility, and therefore often usability
- This becomes more feasible as technology progresses:
Augmented Reality / Ubicomp



Visibility: A Bonus Feature



(thanks to Konrad)



Sound

- Exercise: Listen to everyday objects and their acoustic feedback (or think about it if not readily available in class)
- Examples: Pen cap, hard drive, bike lock, car door, telephone, software
- Sound is a unique information channel
 - Omnidirectional: blessing and curse
- But use to convey meaning if possible!
- More on sound in DIS II!



Theory

⇒ Models of interaction

- Affordances, mappings, constraints, types of knowledge, errors
- Design principles
- Human cognition and performance
- History and vision of HCI

Practice

✓ Sketching

✓ User observation

⇒ Iterative design


- Prototyping
- Ideation
- User study and evaluation



Design Process



The Wrong Way



- Waterfall Model (since 80s)
- Phases idealistic, reality requires backtracking
 - Plans change
- Usage scenarios often too abstract
- Wrong assumptions hard to detect & fix early



User-Centered Design


- Standard software process easily misses users' needs


⇒ Involve users during entire process

- Questionnaires and interviews
- Usability tests and observation
- Goal: more usable, more successful systems



The Right Way: DIA Cycle





DIA Cycle

- Usually many iterations necessary
- With each iteration:
 - Design becomes more concrete & precise
 - Implementation (prototype) gets more detailed and technically complex
 - Analysis and user feedback focuses on smaller and smaller problems
- Fix big design bugs first, small ones later



Prototyping in DIA iterations

Project start

D: Brainstorm different representations

D: Choose a representation

D: Rough out interface style

A/D: Task centered walkthrough&redesign

A/D: Fine tune interface, screen design

A/D: Heuristic evaluation and redesign

A/D: Usability testing and redesign

A: Limited field testing

A: Alpha/Beta tests

I: Low fidelity paper prototypes

I: Medium fidelity prototypes

I: High fidelity prototypes

I: Working systems

Project End



The First Two Questions

- Whenever designing an interactive system, ask the following two questions first:

1. Who are the users?

2. What do they want to do with the system?

- Many projects fail because these questions have not been answered!
- Both questions requires **asking!**



Classifying Users

- **Experience: Most central criterion**
 - **Newbies** (no task knowledge) / first-time users (task knowledge): don't know UI, anxiety
 - ⇒ simple UI, few features, small consistent vocabulary, extensive feedback, help, and documentation
 - **Average** experienced users: know task well, UI so-so, forget functions
 - ⇒ clear menu structures, consistency, see & choose instead of remember & type, continued error protection
 - **Experts**, regular users: know task & UI well
 - ⇒ speed, efficiency, short nonintrusive feedback, shortcuts, macros, customizability, extendability



More Dimensions to Classify Users

- Background
 - Name, age, sex, nationality, education, income
- Computer experience
 - Particular apps, duration, depth (see before), special functions (printing, ...)
- Task experience
 - Leader, decision maker, motivation
- Personality
 - Introvert/extrovert, systematic/spontaneous, risk threshold, early/late adopter
- Impressions after use
 - Confused/OK, frustrated/controlled, bored/excited, reasons for (not) liking system



Persona: Who Are the Users?

- Precise description of the users
- Acts as a stand-ins for real users
 - Guide design decisions
- Fictitious, but based on knowledge of real users from observations
- Personas are not elastic
 - Avoid stretching users' ability instead of making a good design

BACKGROUND

- 15, Female
- Ongoing Private Education
- Ambitious
- Comfortable using technology to communicate

MOTIVATIONS

- Keeping in touch with her network
- Fashion/street cred
- Keeping up with peers.

FRUSTRATIONS

- Sad people trying to be 'friends' on Facebook
- Having to be in bed @ 11pm
- Being swamped in friends updates
- Missing important status updates

Ginnie

Receives private tutoring in Maths and English as these are not her strong subjects. Enjoys playing for the school's 2nd teams for netball and Lacrosse and is good at art.

She loves recording her favourite shows: ER and Sun Valley High on Sky+ and spends some of her time on her Laptop that Daddy bought her watching videos on YouTube, downloading music, keeping up to date with her friends on Facebook and chatting via MS IM to her cousin who is at University in Leeds.

"I want to easily hook up with my friends whilst watching TV"

She loves Ugg boots and Abercrombie & Fitch and uses the Internet to shop and find the cheapest prices.

Preece et al., Interaction Design, 3ed., 2011



Ginnie

BACKGROUND

- 15, Female
- Ongoing Private Education
- Ambitious
- Comfortable using technology to communicate

MOTIVATIONS

- Keeping in touch with her network
- Fashion/street cred
- Keeping up with peers.

FRUSTRATIONS

- Sad people trying to be 'friends' on Facebook
- Having to be in bed @ 11pm
- Being swamped in friends update
- Missing important status updates

Receives private tutoring in Maths and English as these are not her strong subjects. Enjoys playing for the school's 2nd teams for netball and Lacrosse and is good at art.

She loves recording her favourite shows: ER and Sun Valley High on Sky+ and spends some of her time on her laptop that Daddy bought her watching videos on YouTube, downloading music, keeping up to date with her friends on Facebook and chatting via MS IM to her cousin who is at University in Leeds.

She loves Ugg boots and Abercrombie & Fitch and uses the Internet to shop and find the cheapest prices.



"I want to easily hook up with my friends whilst watching TV"



Storyboard:

What Do They Want to Do with the System?

- What?
 - Sequence of single images
 - Visual representation of a script
 - Illustrates interaction
 - Like visual outline of a film
- Why?
 - Describes task showing environment, user, and computer
 - Or describes UI as series of screen images (but include user representation)
 - Helps working out interaction details
 - Great at-a-glance overview of interaction
 - Helps developing usage scenarios, tasks, and tools



Storyboard:

What Do They Want to Do with the System?

- When?
 - After describing a task, storyboard it, then take back to user.
Did you get the story right?






Bob walking somewhere



Bob Never Remembers Faces...




Bob is embar
Tim is up
a moron


If he had Recognition Glasses, ...



glasses register Tim's Name



Bob Remember's Tim Brown's Start-up, 'Brown.com'



Bob is impor
needs
with

Incoming Task On-The-Go

Incoming Task On-The-Go with the Associative PDA

On the way to a seminar...



yap yap yap



On the way to a seminar...



yap yap yap




Please send me a copy tomorrow

Ok



Seminar Notes

send copy!



Please send me a copy tomorrow

Ok



create task item and link it to colleague and tomorrow




Next week in the office...

Time to go through the seminar notes



send copy!



Oh no!

The next day in the office...

What do I have to do today?



open tasks: send copy to colleague



Right, I almost forgot

Summary

- The **Seven Stages of Action** let you debug your design
- **Knowledge in the World** relieves users from having to remember everything
- Iterative process allows the design to evolve with user feedback
- The first two questions
 - Who are the users? \Rightarrow User classification, personas
 - What do they want to do with the system? \Rightarrow Storyboard

