



iPhone Application Programming

Lecture 3: Swift Part 2



Nur Al-huda Hamdan
Media Computing Group
RWTH Aachen University

Winter Semester 2015/2016

<http://hci.rwth-aachen.de/iphone>

Review

- Type aliasing is useful!
- Escaping keywords could be useful!
- If you want the external and local parameter names to be the same, you don't have to write out the parameter name twice
- External names don't need to be unique, but local names do (thus, you cannot use wild card)
- Skip external names when you are writing a number of methods that take a value of multiple types (hide details from user)
- If your extending a UI to have 3 parameters instead of the old 2, use a default parameter for the third, this way you don't have to go and change the older calls
- Variadic parameters are more readable than sending an array, but must be the last in the list, and check if its empty (array inside)

Properties

- Properties are available for classes, enums or structs
- Classified into stored properties and computed properties
- Can be instance properties: each class instance gets its own copy or type properties: associated with the type itself (**static**)
- One can observe stored properties or any inherited property
- **lazy** properties do not calculate initial values when the variable is initialized for the first time
 - To delay object creation until necessary (resource demanding) or when property depends on unknown parts of the class
 - lazy cannot be used on computed property

Computed	Stored
For classes, structs and enums	For classes, structs
Calculate a value (usually based on stored properties)	Store values as instances into memory
No need to initialize. Cannot have a default value	Must be initialized
Only var	Can be var or let
Have get and optional set	

Properties



- To observe properties you implement `didSet` or `willSet`
 - When a property is set in an initializer `willSet (newValue)` and `didSet (oldValue)` observers are not called (or when assigning initial default value)
 - You cannot observe `lazy` properties
 - `override` inherited properties to observe them. Cannot observe read-only properties
 - Property observer must be `var`
 - Use to validate input
- A constant `let` struct instance cannot modify even if properties, were declared as variables

```
class AutomaticCar: Car {
    override var currentSpeed: Double {
        didSet {
            gear = Int(currentSpeed / 10.0) + 1
        }
    }
}
```

Self

- Every instance of a type (class, struct, enum) has an implicit property called self
- Cannot be used until after initialization phase
- Necessary to distinguish when a parameter name is the same as a property name, e.g., `self.value = value`
- Value types (enums and structs) can assign to `self` a new value within a `mutating` method

```
struct Point {  
    var x = 0.0, y = 0.0  
    mutating func moveByX(deltaX: Double, y  
deltaY: Double) {  
        self = Point(x: x + deltaX, y: y +  
deltaY)  
    }  
}
```

Inheritance

- Unique to classes in swift
- Classes in Swift can call and access methods, properties, and subscripts belonging to their superclass: `super.someMethod()` or `super.someProperty` (even of **private**)
- Classes can provide their own **overriding** versions of those methods, properties, and subscripts
 - You can make an inherited read-only property a read-write property, but cannot make a read-write property read-only
- Classes can add property observers (**didSet**, **willSet**) to inherited (settable) properties (the stored or computed nature of an inherited property is not known by a subclass)
- In superclass: **final** computed properties and functions cannot be overridden. **final class** means it cannot be subclassed

Initialization

- Initialization prepares instances of a class, structure, or enumeration for use by setting an initial value for *each stored property* and performing any other setup
- Classes and structures must set all of their stored properties to an appropriate initial value before they can be used
 - Default property value set in definition (except for optionals, default is nil)
 - Initial value within an initializer
- We call Initializers to create new instances

Initialization




- Initializers syntax: can be with or without parameters, can have local and external names, must use first parameter name when calling the init, can use wild card for external names
- A class and struct that have *all* properties set with default values get a default `init()` if they do not implement one (`var instance = className()` is possible without writing any initializer for `className`)
- Structs also receive a default memberwise initializer: `init(all properties in order of definition)`, if they do not define any initializers
- What if you want the default init/memberwise init in your struct but also want custom inits?

Initialization and Inheritance

- Two kinds of initializers for type class
 - **Designated** initializers are the primary. They initialize *all* properties introduced by that class and call an appropriate superclass initializer to continue the initialization process up the superclass chain
 - Every class must have at least one designated initializer (can satisfy this by inheriting a superclass designated init)
 - **Convenience** initializers are optional in a class, and used for special initialization patterns (must add **convenience init**)
- Swift subclasses do not inherit their superclass initializers by default (see demo cases)
 - If subclass implements `init() {}` and the super class has the default `init`, the subclass must add **override** keyword

Initializer Delegation for Class Types

- Goal: All of a class's stored properties, including inherited properties, must be assigned an initial value during initialization
- Convenience initializer can only call *one* other initializer from the *same* class (the chain should lead to a designated initializer)
- Designated initializers must call *one* super designated initializer



Two-Phase Initialization

- Class initialization in Swift is a two-phase process
- Safe and flexible process
 - Prevents property values from being accessed before they are initialized
 - Prevents property values from being set to a different value by another initializer unexpectedly
 - Allows setting custom initial values
- Phase 1: Each stored property is assigned an initial value by the class that introduced it
- Phase 2: Each class is given the opportunity to customize its stored properties further before a new instance is ready for use

Two-Phase Initialization



- A designated initializer must ensure all its properties are initialized before calling super designated. After calling the super, it can modify inherited properties
- A convenience initializer must delegate to another initializer before assigning a value to *any* property
- An initializer cannot call any instance methods, read the values of any instance properties, or refer to self as a value until after the first phase of initialization is complete



Failables and Deinitializers

- **required init** indicates every subclass must implement that initializer., every subclass must also include this keyword

- Failable Initializer

- When the initialisation of an instance can fail

```
init?(species: String) {  
    if species.isEmpty { return nil }  
    self.species = species  
}
```

- Example, invalid initialization parameter values, the absence of a required external resource

- Deinitializers to classes in swift (**deinit**)

- Called automatically before instance deallocation takes place
 - Cannot be call by developer
 - Perform resource handling, e.g., close open files, remove self as an observer, etc

Closures

- Blocks of functionality that you can pass around in your code
- Closures do not have a name
- Closures capture references of values in their context
 - Retain cycles and memory management is done by swift
- Functions and nested functions are special cases of closures
 - Functions have a name and don't capture values
 - Nested functions have a name and capture values
- Many swift methods and functions take closures as arguments

Closures - Syntax



- Closure expressions encourage brief, clutter-free syntax
 - Inferring parameter and return value types from context
 - Implicit returns from single-expression closures
 - Shorthand argument names
 - Trailing closure syntax
- Can use constant parameters, variable parameters, and inout parameters, named variadic parameter and tuples
- Cannot provide default values

```
increment({(a: Int) -> Int in  
          return a + 1  
})  
  
increment({a in return a + 1})  
  
increment({a in a + 1})  
  
increment({$0 + 1})  
  
increment() {$0 + 1}  
  
increment {$0 + 1}
```

Closures - Capturing References

- Capturing references to variables and constants that exist in the context

```
var i = 10
var myClosure = {print(i)}
i = 20
myClosure() //20
```

```
class MyClass
{
    var someProperty = "v1"
}
var instance = MyClass()

var myClosure = {
    (appName : String) -> String in
        return appName + " " +
instance.someProperty
}
```

```
print(myClosure("Clock")) //Clock v1

instance.someProperty = "v2"
print(myClosure("Clock")) //Clock v2

instance = MyClass()
print(myClosure("Clock")) //Clock v1
```


Closures - Capturing Values

- Capture lists can change the default behavior of closures to capture values
 - You capture the values of constants and variables at the time of closure creation, not affected with any changes later
 - List must come at the beginning of closure definition

```
class MyClass
{
    var someProperty = "v1"
}
var instance = MyClass()

var myClosure = {
    [instance]
    (appName : String) -> String in
    return appName + " " +
instance.someProperty
}
```


```
print(myClosure("Clock")) //Clock v1

instance.someProperty = "v2"
print(myClosure("Clock")) //Clock v2

instance = MyClass()
print(myClosure("Clock")) //Clock v2
```

Closures Are Reference Types

- A closure is a function + captured variables
- These two are closures `decrem30`, `decrem10`



```
func calcDecrement(forDecrement total: Int) -> ()->Int
{
    var overallDecrement = 0

    func decremter() -> Int {
        overallDecrement -= total
        return overallDecrement
    }

    return decremter
    //overallDecrement normally goes out of scope here,
    //but a reference to it is captured by decremter
}

let decrem30 = calcDecrement(forDecrement: 30)
//now captured decrem30.overallDecrement is -30
print(decrem30()) //-30

let decrem10 = calcDecrement(forDecrement: 10)
//now captured decrem10.overallDecrement is -10
print(decrem10()) //-10

print(decrem30()) //decrem30.overallDecrement = -60
```

Swift Built-in Types

- Make better use of Swift's six built-in types

Named Types

- Protocols
- Structs
- Classes
- Enumerations

Compound Types

- Functions
- Tuples

Protocols

- A protocol defines a blueprint of (instate/type) methods, (instance/type) properties that suit a particular task or piece of functionality
- The protocol can then be adopted by a class/structs/enum and provide actual implementation of those requirements (conform to that protocol)
 - Some elements of the protocols can be tagged as **optional**
- Swift reports an error at compile-time if a protocol requirement is not fulfilled
- Protocols can be extend to implement some of the requirements or to implement additional functionality that conforming types can take advantage of

Protocols



- Protocol syntax: `protocol`, Adopting classes add protocol names after the inherited superclass (if exists)
- A protocol property should be a `var` and have a particular name and type, must be gettable or gettable and settable. If gettable, the conforming type can make it settable. The conforming type can implement it as `let` or `var`
- Type properties and method prefix with `static` (can use class or static in implementation)

Structs



- Collection of named properties
- Can have initializers and methods
- Provide value semantics
- Are (usually) created on the stack
- Can conform to protocols, can have extensions, but no inheritance
- Use `mutating` func if changing an instance property in a struct method
- Good for data aggregation without implicit sharing

```
struct MapPoint: Stringifiable {
    var longitude: Double
    var latitude: Double

    func rhumbDistance(other: MapPoint) ->
    Double {
        let dLong = self.longitude -
other.longitude
        let dLat = self.latitude - other.latitude
        return sqrt(dLong * dLong + dLat * dLat)
    }

    func stringify() -> String {
        return "\(\longitude); \(\latitude)"
    }
}
```

Classes



- Inheritance
 - Initializers initialize all members before calling the parent initializer (2-phase init)
- Support for de-initializers
- Provide reference semantics
- Are (usually) created on the heap
- Good for shared data, large data, or as a resource handle

```
class Person {
  var firstName: String
  var lastName: String
  var available = true

  init(firstName: String, lastName: String) {
    self.firstName = firstName
    self.lastName = lastName
  }

  func marry(other: Person, takeTheirName: Bool) {
    if (takeTheirName) {
      self.lastName = other.lastName
    }
    self.available = false
  }

  func stringify() -> String {
    return firstName + " " + lastName +
      (available ? " is still available!"
       : " is married.")
  }
}
```

Structs vs. Classes

- **Structs**

- short lived objects
- objects that are created often
- model objects
- data capsules
(represent only their values)

- **Classes**

- long lived objects
- controller and view objects
- class hierarchies
- objects in the true sense (representing some identity)

If unsure, try a struct first; you can change it later

Value Semantics and Reference Semantics

A Detour

Reference Semantics

```
protocol Stringifiable {
    func stringify() -> String
}

class Person {
    var firstName: String
    var lastName: String
    var available = true

    init(firstName: String, lastName: String) {
        self.firstName = firstName
        self.lastName = lastName
    }

    func marry(other: Person, takeTheirName: Bool) {
        if (takeTheirName) {
            self.lastName = other.lastName
        }
        self.available = false
    }

    func stringify() -> String {
        return firstName + " " + lastName + (available ? " is still available!" : " is married.")
    }
}
```

Reference Semantics

```
var bradPitt = Person(firstName:
"Brad", lastName: "Pitt")


var angelinaJolie = Person(firstName:
"Angelina", lastName: "Jolie")

var guyWhoLooksLikeBradPitt = bradPitt

bradPitt.marry(angelinaJolie,
takeTheirName: false)

bradPitt.stringify()

guyWhoLooksLikeBradPitt.stringify()
```



Value Semantics

```
protocol Stringifiable {
    func stringify() -> String
}

struct Person {
    var firstName: String
    var lastName: String
    var available = true


    init(firstName: String, lastName: String) {
        self.firstName = firstName
        self.lastName = lastName
    }

    mutating func marry(other: Person, takeTheirName: Bool) {
        if (takeTheirName) {
            self.lastName = other.lastName
        }
        self.available = false
    }

    func stringify() -> String {
        return firstName + " " + lastName + (available ? " is still available!" : " is married.")
    }
}
```

Value Semantics

```
var bradPitt = Person(firstName:  
"Brad", lastName: "Pitt")  
  
var angelinaJolie = Person(firstName:  
"Angelina", lastName: "Jolie")  
  
var guyWhoLooksLikeBradPitt = bradPitt  
  
bradPitt.marry(angelinaJolie,  
takeTheirName: false)  
  
bradPitt.stringify()  
guyWhoLooksLikeBradPitt.stringify()
```



Next Time

- The slides and playgrounds from this lecture will be uploaded to our website
- This week's reading assignment will be on the website today
- What is left in Swift?
 - Enumerations, Extensions, Nested Types, Optional Chaining, Access Control, Operators, ARC and Error handling (next lecture)
 - Generics and Subscripts (self reading)
- Next week we'll also talk about design patterns and some Foundation classes