

Plagiarism 101

www.interaction-design.org/encyclopedia/gestalt_principles_of_for...
The law of similarity captures the idea that elements will be grouped perceptually if they are similar to each other. In the "preferences window" of

“ Law of Similarity
The law of similarity captures the idea that elements will be grouped perceptually if they are similar to each other.” For instance in the following dialog we tend to divide the given files into two groups:

[1]

Law of Similarity –

The law of similarity states that objects will be grouped perceptually if they are similar to each other. In other words the repetition in the forms persuades the human mind to group it

[1]

[1] http://www.interaction-design.org/encyclopedia/gestalt_principles_of_form_perception.html

Plagiarism = fail this course.



Review

- What are the four big areas of HCI?
- Why is visibility important in design?
- What are affordances?



Example: Chairs



- The shape of a chair suggests (“affords”) sitting
- Other actions (lift it up, stand on it, ...) are possible as well
- But: They are not those the design suggests most directly
- A simple chair is intuitively usable
- No label needed (“sit down here”)




Example: Doors

- Door design suggests how to use it
 - Small door knobs suggest pulling
 - Large, flat vertical surfaces suggest “press here”
- “Designer doors” often consciously hide suggestions (where are the hinges, where do I have to push/pull?)
 - Is this useful?
- A label “PUSH” / “PULL” is essentially a one-word manual. Should it be necessary to study even such a short manual, just to open a door?






By the way, the doorbell is to the left!



This door does not show whether to push or pull,
and on which side.




**Better escape door: “Press to the right”
is clearly suggested.**

Mappings



Mappings

- Connect UI elements to real world
 - Examples for input and output?



Mappings

- Good mappings are natural
 - Use **physical** analogies
 - Use **cultural** standards
- Results:
 - Understood immediately
 - Easier to remember
 - Enable better ease-of-use



Natural Mappings: Spatial Analogies





- Most prominent example of natural mappings
- How would you arrange the controls for this lifting platform?



Natural Mappings: Spatial Analogies

- Rule: arrange controls in the same way that their real-world counterparts are arranged
 - Room lamps
 - Driving wheel
 - Car stereo audio fader






Jan's stove





What's Wrong with This Stove?

- Controls do not use a natural mapping
 - In-line leads to $4! = 4 \cdot 3 \cdot 2 \cdot 1 = 24$ possible arrangements
 - Left/right pairing still leaves 4 possible arrangements
 - Labeling required (often indicates bad design)
- Plus: Labeling only visible by stepping away from the stove beyond operating range
- Better solutions?



Natural Mappings: Perceptual Analogies

- The input devices for controlling something (or output devices for monitoring its state) look like the actual thing itself
- Think of it as “the Voodoo Principle”
- Example: Mercedes car seat controls [Norman '88]



Group at RWTH Aachen University



interactive. media. research.

Prof. Dr. Jan Borchers, conducts research in **Media Computing** and **Human-Computer** user interface and desktop metaphor. Grounded in **Computer Science**, we develop and study systems in the areas of interaction with multimedia, ubiquitous computing environments, tangible computing. Our goal is to make the Brave New World of ubiquitous multimedia technologies useful by making them usable. Our approach and research directions can be found [here](#).

Our research group is part of the **Media Computing** Department at RWTH Aachen University, Germany's top-ranked University of Technology and Applied Sciences. Our group was established as an endowed chair by the German **B-IT Foundation**, and we also have a research center at the Bonn-Aachen International Center for Information Technology (**B-IT Center**). Our group has become Germany's **best-published research group** at CHI, the premier international conference on human-computer interaction.

Scrolling

Group at RWTH Aachen University



interactive. media. research.



Prof. Dr. Jan Borchers, conducts research in **Media Computing** and **Human-Computer** user interface and desktop metaphor. Grounded in **Computer Science**, we develop and study systems in the areas of interaction with multimedia, ubiquitous computing environments, tangible computing. Our goal is to make the Brave New World of ubiquitous multimedia technologies useful by making them usable. Our approach and research directions can be found [here](#).

Our **Department** at **RWTH Aachen University**, Germany's top-ranked University of Technology and Applied Sciences. Our group was established as an endowed chair by the German **B-IT Foundation**, and we also have a research center at the **Bonn-Aachen International Center for Information Technology (B-IT Center)**. Our group has become Germany's **best-published research group** at CHI, the premier international conference on human-computer interaction.

Panning

Natural Mappings: Biological/Cultural Analogies

- In-class Exercise:


Classifying dimensions

- Example:

Rising level = “more”, falling level = “less”

- Natural for all **additive dimensions**, e.g., amount (water level), heat (thermometer), volume, line thickness, brightness, weight,...
- But: not for **substitutive dimensions**, e.g., color, audio pitch(!), taste, location,...





Stockholm Ticket Machine

Source: <http://www.peterkrantz.com/2007/man-machine-interface/>

Photo: <http://en.wikipedia.org/>

Tryck för tal
⠠⠠⠠⠠⠠⠠⠠⠠

1 Välj zoner
Choose zones
⠠⠠⠠⠠⠠⠠⠠⠠

1
ZON

2
ZONER

3
ZONER

RABATT
Ungdom / Pensionär

2 Betala
Pay
⠠⠠⠠⠠⠠⠠⠠⠠

00 Kr

Kortet går inte att läsa
Sorry your card is not working

3 Ta biljett
Get ticket
⠠⠠⠠⠠⠠⠠⠠⠠




Natural Mappings: Biological/Cultural Analogies

- Another natural analogy:
Order from top to bottom
- How about from left to right?



א היא האות הראשונה
באלף-בית העברי. אחת
מאותיות אהו"י אשר
מציינות תנועה. אות זו
מצוייה כאם-קריאה
אחרי כל התנועות.





24907536
247139
245755
244408
243031
241659
240304
238938
237573
236207
234842
233477
232111
230746
229381
894744
684217
473690
263163
852636
842108
631581
421054
210527






OK/Cancel



www.ok-cancel.com 10.10.03



Kicking the Llama : copyright 2003 tom chi and kevin cheng _



Constraints




Constraints

- Constraints are the “inverse” of affordances, and can augment them
- They limit the way an object can be used
- Goals:
 - Avoid usage errors
 - Minimize the information to be remembered
- Types of Constraints:
 - Physical, semantic, logical, cultural



Physical Constraints



- Limit number of possible physical operations
- Limiting is done by physical shape
 - Example: Traditional key does not fit into security lock
- More efficient and useful if constraint is visible ahead of time!
 - Example: Car key should fit both ways, but should then also work both ways



Semantic Constraints



- Use our common knowledge about the world and particularly the meaning of the current situation
- Example: Driver's figurine in a model plane construction kit **has to** sit facing forward to “make sense”
- Powerful means to improve intuitiveness
- But: Only use rules that are valid throughout your user population!



Logical Constraints



- Use logical conclusions to exclude certain solutions
 - Example: All parts of a model plane construction kit are to be used
- Natural mappings often use logical constraints, and are hard to distinguish
 - Example: left switch = left lamp is natural/logical



Cultural Constraints

- Rely on generally accepted cultural conventions
 - Example: Labels are to be read, so are expected not to be upside down — implies which side is up on a closed package
 - Example: Red = Stop
- But: Only applies to specific cultural group!
 - Chinese labeling does not give most Westerners an idea where “up” is
 - Pointing with index finger is inappropriate in some middle and far east cultures




In-Class Exercise: Constraints

- Think about three examples for objects where **constraints** help us use them correctly
- Try to find examples for the different types of constraints
 - Physical, semantic, logical, cultural
- Sample areas: kitchen appliances, security devices, vending machines, ...



Conceptual Models

- We are surrounded by innumerable objects (20,000 everyday things)
- How do we cope?
 - Mind aims to make sense of things
 - Affordances support using objects easily
 - Designers can provide a good image of how a system works
- Humans form a conceptual model of how something works when they encounter it




Providing Good Conceptual Models

- Principle of good design
- Allows to predict effects of our actions, and cope with problems
- Conceptual models are mental models of things
 - Other mental models: Of ourselves, others, the environment, ...
 - Formed through experience, training, instruction



Design Model, System Image, and User's Model

- By carefully crafting the system image, designers can provide a good idea of how a system works
- Problems arise when the designer's conceptual model is different from what emerges as the user's mental model
- Important concept to remember when designing UIs!



A close-up photograph of a person wearing a black hooded robe. The person has a long, dark, textured beard and is looking directly at the camera with intense, yellow eyes. Their hands are raised in a gesture, with fingers spread. The background is dark and textured.

“Interface design is about crafting the user illusion.”

Assignment:

Revisiting the Remote Control



- Reflect on your remote control design in your idea log
 - How did you map your controls to the system?
 - Are the mappings natural? How?
 - What are alternative mappings? What are their pros and cons?
 - What were constraints you used in your design?
 - How does the system image of your remote control communicate the conceptual model to the user?



Bewerbertraining für IT-ler

- Bewerbungsunterlagen – was soll da rein, wie sieht das aus?
- Vorbereitung auf ein Vorstellungsgespräch
- Was soll ich als Gehaltswunsch angeben? Ist das Gehalt überhaupt verhandelbar?

Termin: Dienstag, den 8.11.2011 von 14 -18 Uhr

Ort: SOPTIM AG, Im Süsterfeld 22 in Aachen



Anmeldung bei SOPTIM unter: Personalmanagement@soptim.de

Referentin: Ina Rixen, Personalleiterin der SOPTIM AG

Das Seminar ist kostenlos!

Learning About Users

I DISCOVERED A TYPO
IN THE MARKET FORE-
CAST THAT IS DRIVING
OUR COMPANY
STRATEGY.



WHERE IT SAYS, "EVERY-
ONE WOULD WANT ONE,"
IT SHOULD HAVE SAID,
"AVERY WONG WOULD
WANT ONE."



©2004 Scott Adams, Inc./Dist. by UFS, Inc.

WORSE YET, I CALLED
MR. WONG AND HE SAID
HE WAS JOKING.



WHAT IF WE
GAVE HIM FREE
DELIVERY?



Learning About Users

- Providing useful functions is not enough
- Functions also need to fit seamlessly into users' task environment, otherwise it won't be used (cost/benefit)
- So: **Know The User!**
- Find real people interested in your planned system (otherwise there's a problem—example: CBT authoring system)



Finding Users

- “No time”: Will likely have no time to use final product either
- So: motivate them, explaining why system will be useful
- Geeks are often more willing
- Bribery helps
(gummi bears, t-shirts, coffee mugs—usually better than money)



Lame Excuses by Designers

Avoiding to Find Users

- “My system is useful for everyone.”
 - If true, finding users should be easy
 - If not, “everyone” really means “no one”
- “I am a typical user myself.”
 - Would you really use it daily?
 - Also: usefulness that designer appreciates after long thought process may not be obvious to the user



Observing Users

- **Setting goals**
 - How will you analyze the data from the observation?
- **Identifying users**
 - Who will you observe?
- **Triangulation**
 - Use multiple evidences to confirm your observations
- **Pilot observation**
 - Do a small-scale observation to debug the process



Simple Observation Framework

- **People:** Who is using the technology at any particular time?
- **Places:** Where are they using it?
- **Things:** What are they doing with it?

Source: Preece et al., Interaction Design, 3rd ed., 2001




Detailed Observation Framework

- **Space:** What is the physical space like and how is it laid out?
- **Actors:** What are the names and relevant details of the people involved?
- **Activities:** What are the actors doing and why?
- **Objects:** What physical objects are present, such as furniture?
- **Acts:** What are specific individual actions?
- **Events:** Is what you observe part of a special event?
- **Time:** What is the sequence of the event?
- **Goals:** What are the actors trying to accomplish?
- **Feelings:** What is the mood of the group and of individuals?

Source: Preece et al., Interaction Design, 3rd ed., 2001



A projector beam of light is shown projecting onto a screen. The beam is a bright, vertical column of light, and the screen is a large, rectangular area on the right side of the image. The background is dark, making the light beam and screen stand out.

Video: http://www.youtube.com/watch?v=_MIk-QSCFnU

A study of Projector Use

Summary

- Natural mappings connect system state to the real world
- Constraints limits the way an object can be used
 - Avoid errors
 - Reduce information to be remembered
- Usable objects use the system image to convey the right conceptual model to the user
- Knowing your real users is the key to usable design
- User observation is one method to learn about users

